

## AMENDMENTS TO THE CLAIMS

1. (CURRENTLY AMENDED) A method for processing a video signal, comprising the steps of:

(A) receiving said video signal comprising (i) a first segment having a series of frames each having a first region and a second region defining a first signature and (ii) a second segment having a series of frames each having a first region and a second region defining a second signature;

(B) modifying each of said frames of said first segment from said first signature to a third signature, wherein said first segment comprises a non-commercial program; and

(C) modifying each of said frames of said second segment from said second signature to a fourth signature.

2. (ORIGINAL) The method according to claim 1, wherein said second signature is equal to said fourth signature.

3. (CURRENTLY AMENDED) The method of claim 1, wherein (i) ~~said first segment comprises a non-commercial program~~, (ii) said second segment comprises a commercial program and ~~(iii)~~ (ii) said signature modification is performed to suppress the detection of commercials in said video signal.

4. (ORIGINAL) The method according to claim 1, wherein transitions between said first and second segments are not detectable.

5. (ORIGINAL) The method according to claim 1, wherein said modifying in steps (A) and (B) comprises:

cropping each of said frames to a first size, wherein said cropped frames comprise only said first region equaling a size  
5 of said frames prior to said modifying steps.

6. (CURRENTLY AMENDED) The method according to claim 5, wherein said first size fills said ~~active~~ first region.

7. (ORIGINAL) The method according to claim 1, wherein said video signal comprises a digital video signal.

8. (ORIGINAL) The method according to claim 1, wherein said first region comprises an active region.

9. (ORIGINAL) The method according to claim 1, wherein said modifying in steps (A) and (B) comprises:

obscuring a start of an active video in at least one of said frames.

10. (ORIGINAL) The method according to claim 1,  
wherein:

step (C) comprises modifying said frames of said second  
segment from said second signature to said first signature.

11. (CURRENTLY AMENDED) An apparatus for processing a  
video signal, comprising ~~the steps of~~:

5 means for receiving said video signal comprising (i) a  
first segment having a series of frames each having a first region  
and a second region defining a first signature and (ii) a second  
segment having a series of frames each having a first region and a  
second region defining a second signature;

10 means for modifying each of said frames of said first  
segment from said first signature to a third signature, wherein  
said first segment comprises a non-commercial program; and

means for modifying each of said frames of said second  
segment from said second signature to a fourth signature.

12. (ORIGINAL) The apparatus according to claim 10,  
wherein said video signal comprises a digital video signal.

13. (CURRENTLY AMENDED) An apparatus for processing a  
video signal, comprising ~~the steps of~~:

a circuit configured to receive said video signal comprising (i) a first segment having a series of frames each having a first region and a second region defining a first signature and (ii) a second segment having a series of frames each having a first region and a second region defining a second signature, wherein said circuit (i) modifies each of said frames of said first segment from said first signature to a third signature and (ii) modifies each of said frames of said second segment from said second signature to a fourth signature, wherein said first segment comprises a non-commercial program.

14. (CURRENTLY AMENDED) The apparatus according to claim 13 ~~12~~, wherein said video signal comprises a digital video signal.